

















Taurac
Batteries & connectors
Emergency lighting











1,2 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	Vorm
NOVEL113F	1,2 V / 1300 mAh	HT, AA cell	NiMH	Ø 15 x L 50	Faston 4,8 mm	
NOVEL115F	1,2 V / 1500 mAh	HT, Sub C cell	NiCd	Ø 22,5 x L 42,5	Faston 4,8 mm	
NOVEL120F	1,2 V / 2500 mAh	HT, C cell	NiCd	Ø 26 x L 50	Faston 4,8 mm	
NOVEL140F	1,2 V / 4500 mAh	HT, D cell	NiCd	Ø 33 x L 60	Faston 4,8 mm	

2,4 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	Stick
NOVEL2125SF	2,4 V / 1300 mAh	HT, AA cell	NiMH	Ø 15 x L 100	Faston 4,8 mm	
NOVEL215SF	2,4 V / 1500 mAh	HT, Sub C cell	NiCd	Ø 22,5 x L 85	Faston 4,8 mm	
NOVEL218SF	2,4 V / 1800 mAh	HT, Sub C cell	NiCd	Ø 22,5 x L 85	Faston 4,8 mm	
NOVEL220SF	2,4 V / 2500 mAh	HT, C cell	NiCd	Ø 26 x L 100	Faston 4,8 mm	
NOVEL2210SF	2,4 V / 2100 mAh	HT, A cell	NiMH	Ø 17 x L 100	Faston 4,8 mm	
NOVEL222SF	2,4 V / 2500 mAh	HT, 1/2 D cell	NiCd	Ø 33 x L 70	Faston 4,8 mm	
NOVEL223SF	2,4 V / 2400 mAh	HT, Sub C cell	NiMH	Ø 22,5 x L 85	Faston 4,8 mm	
NOVEL240SF	2,4 V / 4500 mAh	HT, D cell	NiCd	Ø 33 x L 120	Faston 4,8 mm	
NOVEL240SF-1	2,4 V / 4000 mAh	HT, 7/5 SC cell	NiMH	Ø 22,5 x L 120	Faston 4,8 mm	
NOVEL240SF-MH	2,4 V / 4000 mAh	HT, 4/3 A cell	NiMH	Ø 17 x L 134	Faston 4,8 mm	












2,4 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	SBS
NOVEL213F	2,4 V / 1300 mAh	HT, AA cell	NiMH	L 30 x W 15 x H 50	PL04	
NOVEL21450F	2,4 V / 1350 mAh	HT, AA cell	NiMH	L 30 x W 15 x H 50	Faston 4,8 mm	
NOVEL215F	2,4 V / 1500 mAh	HT, Sub C cell	NiCd	L 45 x W 22,5 x H 42,5	Faston 4,8 mm	
NOVEL218F	2,4 V / 1800 mAh	HT, Sub C cell	NiCd	L 45 x W 22,5 x H 42,5	Faston 4,8 mm	
NOVEL220F	2,4 V / 2500 mAh	HT, C cell	NiCd	L 52 x W 26 x H 50	Faston 4,8 mm	
NOVEL220F-1	2,4 V / 2400 mAh	HT, Sub C cell	NiMH	L 45 x W 22,5 x H 42,5	Faston 2,8 & 4,8	
NOVEL2210F	2,4 V / 2100 mAh	HT, A cell	NiMH	L 34 x W 17 x H 50	Faston 2,8 mm	
NOVEL2210F-1	2,4 V / 2100 mAh	HT, A cell	NiMH	L 34 x W 17 x H 50	Faston 4,8 mm	
NOVEL240F	2,4 V / 4500 mAh	HT, D cell	NiCd	L 66 x W 33 x H 60	Faston 4,8 mm	
NOVEL245F	2,4 V / 4500 mAh	HT, C cell	NiMH	L 52 x W 26 x H 50	Faston 4,8 mm	









3,6 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	Stick
NOVEL306SF	3,6 V / 600 mAh	HT, AAA cell	NiMH	Ø 10,5 x L 133,5	PL04	
NOVEL306SFLI	3,6 V / 620 mAh	HT, AA cell	Li-ion	Ø 15 x L 150	Faston 4,8 mm	
NOVEL3125SF	3,6 V / 1300 mAh	HT, AA cell	NiMH	Ø 15 x L 150	PL04	
NOVEL3125SF-1	3,6 V / 1300 mAh	HT, AA cell	NiMH	Ø 15 x L 150	Faston 4,8 mm	
NOVEL315SF	3,6 V / 1500 mAh	HT, Sub C cell	NiCd	Ø 22,5 x L127,5	Faston 4,8 mm	
NOVEL318SF	3,6 V / 1800 mAh	HT, Sub C cell	NiCd	Ø 22,5 x L127,5	Faston 4,8 mm	
NOVEL320SF	3,6 V / 2500 mAh	HT, C cell	N-iCd	Ø 26 x L 150	Faston 4,8 mm	
NOVEL3210SF	3,6 V / 2100 mAh	HT, A cell	NiMH	Ø 17 x L 150	Faston 4,8 mm	
NOVEL322SF	3,6 V / 2500 mAh	HT, 1/2 D cell	NiCd	Ø 33 x L 105	Faston 4,8 mm	
NOVEL324SF	3,6 V / 2400 mAh	HT, Sub C cell	NiMH	Ø 22,5 x L127,5	Faston 4,8 mm	
NOVEL340SF	3,6 V / 4500 mAh	HT, D cell	NiCd	Ø 33 x L 180	Faston 4,8 mm	
NOVEL340SFMH	3,6 V / 4000 mAh	HT, C cell	NiMH	Ø 26 x L 150	Faston 4,8 mm	
NOVEL340SFNiMH	3,6 V / 4000 mAh	HT, 4/3 A cell	NiMH	Ø 17 x L 201	Faston 4,8 mm	
NOVEL375SF	3,6 V / 700 mAh	HT, 2/3 AA cell	NiMH	Ø 14,2 x L 85,5	Faston 4,8 mm	
NOVEL380SF	3,6 V / 800 mAh	HT, AA cell	NiCd	Ø 15 x L 150	Faston 4,8 mm	
NOVEL380SF-2	3,6 V / 800 mAh	HT, AA cell	NiCd	Ø 15 x L 150	Faston 4,8 mm	
NOVEL380SFT	3,6 V / 800 mAh	HT, AA cell	NiCd	Ø 15 x L 150	Wired	


3,6 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	SBS
NOVEL306F	3,6 V / 600 mAh	HT, AAA cell	NiMH	L 31,5 x W 10,5 x H 44,5	PL04	
NOVEL3125F	3,6 V / 1300 mAh	HT, AA cell	NiMH	L 45 x W 15 x H 50	PL04	
NOVEL315F	3,6 V / 1500 mAh	HT, Sub C cell	NiCd	L 67,5 x W 22,5 x H 42	Faston 4,8 mm	
NOVEL318F	3,6 V / 1800 mAh	HT, Sub C cell	NiCd	L 67,5 x W 22,5 x H 42	Faston 4,8 mm	
NOVEL320F	3,6 V / 2500 mAh	HT, C cell	NiCd	L 78 x W 26 x H 50	Faston 4,8 mm	
NOVEL3210F	3,6 V / 2100 mAh	HT, A cell	NiMH	L 51 x W 17 x H 50	Faston 4,8 mm	
NOVEL322F	3,6 V / 2500 mAh	HT, 1/2 D cell	NiCd	L 99 x W 33 x H 35	Faston 4,8 mm	
NOVEL324F	3,6 V / 2400 mAh	HT, Sub C cell	NiMH	L 67,5 x W 22,5 x H 42	Faston 4,8 mm	
NOVEL340F	3,6 V / 4500 mAh	HT, D cell	NiCd	L 99 x W 33 x H 60	Faston 4,8 mm	
NOVEL340F-1	3,6 V / 4000 mAh	HT, 18670	NiMH	L 54 x W 18 x H 67	Faston	
NOVEL380F	3,6 V / 800 mAh	HT, AA cell	NiCd	L 45 x W 15 x H 50	Faston 4,8 mm	


3,6 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	Special
NOVEL315DRIE	3,6 V / 1500 mAh	HT, Sub C cell	NiCd	L 45 x W 45 x H 42,5	Faston 4,8 mm	
NOVEL317D-3	3,6 V / 1700 mAh	HT, AA cell	NiMH	L 30 x W 30 x H 50	Faston 4,8 mm	
NOVEL317DRIE	3,6 V / 1700 mAh	HT, AA cell	NiMH	L 30 x W 30 x H 50	Wired	
NOVEL3210D	3,6 V / 2100 mAh	HT, A cell	NiMH	L 34 x W 34 x H 50	Faston 4,8 mm	
NOVEL340DFMH	3,6 V / 4000 mAh	HT, 18650	NiMH	L 36 x W 36 x H 65	Faston 4,8 mm	
NOVEL340FT	3,6 V / 4500 mAh	HT, D cell	NiCd	3 x Ø 33 x L 60	Faston 4,8 mm	
NOVEL340L	3,6 V / 4000 mAh	HT, 4/3 A cell	NiMH	L 134 x W 17 x H 36	PL04	
NOVEL380D	3,6 V / 800 mAh	HT, AA cell	NiCd	L 30 x W 30 x H 50	Faston 4,8 mm	

3,7 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	Stick
NOVEL320SFLI	3,7 V / 2000 mAh	HT, 18650 cell	Li-ion	Ø 18 x L 65	PL04	

















3,7 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	SBS
NOVEL340FLI	3,7 V / 4000 mAh	HT, 18650	Li-ion	L 36 x W 18 x H 65	PL04	

4,8 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	SBS
NOVEL4125F	4,8 V / 1300 mAh	HT, AA cell	NiMH	L 60 x W 15 x H 50	PL04	
NOVEL415F	4,8 V / 1500 mAh	HT, Sub C cell	NiCd	L 90 x W 22,5 x H 42,5	Faston 4,8 mm	
NOVEL418F	4,8 V / 1800 mAh	HT, Sub C cell	NiCd	L 90 x W 22,5 x H 42,5	Faston 4,8 mm	
NOVEL420F	4,8 V / 2500 mAh	HT, C cell	NiCd	L 104 x W 26 x H 50	Faston 4,8 mm	
NOVEL421F	4,8 V / 2100 mAh	HT, A cell	NiMH	L 68 x W 17 x H 50	Faston 4,8 mm	
NOVEL422F	4,8 V / 2500 mAh	HT, 1/2 D cell	NiCd	L 132 x W 33 x H 35	Faston 4,8 mm	
NOVEL424F	4,8 V / 2400 mAh	HT, Sub C cell	NiMH	L 90 x W 22,5 x H 42,5	Faston 4,8 mm	
NOVEL424F-1	4,8 V / 2400 mAh	HT, Sub C cell	NiMH	L 90 x W 22,5 x H 42,5	PL24	
NOVEL430F	4,8 V / 3000 mAh	HT, Sub C cell	NiMH	L 90 x W 22,5 x H 42,5	Faston 4,8 mm	
NOVEL440F	4,8 V / 4500 mAh	HT, D cell	NiCd	L 132 x W 33 x H 60	Faston 4,8 mm	
NOVEL440F-1	4,8 V / 4000 mAh	HT, C cell	NiMH	L 104 x W 26 x H 50	Faston 4,8 mm	
NOVEL460F-1	4,8 V / 600 mAh	HT, AAA cell	NiMH	L 42 x W 10,5 x H 44,5	Wired	
NOVEL460F-2	4,8 V / 600 mAh	HT, 2/3 A	NiCd	L 68 x W 17 x H 28,5	Connector	
NOVEL475F	4,8 V / 750 mAh	HT, 2/3 AA cell	NiMH	L 56,8 x W 14,2 H 28,5	Faston 4,8 mm	
NOVEL480F	4,8 V / 800 mAh	HT, AA cell	NiCd	L 60 x W 15 x H 50	Faston 4,8 mm	









4,8 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	Stick
NOVEL4125SF	4,8 V / 1300 mAh	HT, AA cell	NiMH	Ø 15 x L 200	Faston 4,8 mm	
NOVEL415SF	4,8 V / 1500 mAh	HT, Sub C cell	NiCd	Ø 22,5 x L 170	Faston 4,8 mm	
NOVEL418SF	4,8 V / 1800 mAh	HT, Sub C cell	NiCd	Ø 22,5 x L 170	Faston 4,8 mm	
NOVEL420SF	4,8 V / 2500 mAh	HT, C cell	NiCd	Ø 26 x L 200	Faston 4,8 mm	
NOVEL421SF	4,8 V / 2100 mAh	HT, A cell	NiMH	Ø 17 x L 200	Faston 4,8 mm	
NOVEL422SF	4,8 V / 2500 mAh	HT, 1/2 D cell	NiCd	Ø 33 x L 140	Faston 4,8 mm	
NOVEL424SF	4,8 V / 2400 mAh	HT, Sub C cell	NiMH	Ø 22,5 x L 170	Faston 4,8 mm	
NOVEL430SF	4,8 V / 3000 mAh	HT, Sub C cell	NiMH	Ø 22,5 x L 170	Faston 4,8 mm	
NOVEL440F-MH	4,8 V / 4000 mAh	HT, 4/3 A cell	NiMH	Ø 17 x L 268	Faston 4,8 mm	
NOVEL440SF	4,8 V / 4500 mAh	HT, D cell	NiCd	Ø 33 x L 240	Faston 4,8 mm	
NOVEL440SF-1	4,8 V / 4000 mAh	HT, C cell	NiMH	Ø 26 x L 200	Faston 4,8 mm	
NOVEL440SF-2	4,8 V / 4000 mAh	HT, 7/5 SC cell	NiMH	Ø 22,2 x L 240	Faston 4,8 mm	
NOVEL460SF	4,8 V / 600 mAh	HT, AAA cell	NiMH	Ø 10,5 x L 178	Faston 4,8 mm	
NOVEL472SF	4,8 V / 800 mAh	HT, AAA cell	NiMH	Ø 10,5 x L 178	Wired	
NOVEL475SF	4,8 V / 700 mAh	HT, 2/3 AA cell	NiMH	Ø 14,2 x L 114	Faston 4,8 mm	
NOVEL480SF	4,8 V / 800 mAh	HT, AA cell	NiCd	Ø 15 x L 200	Faston 4,8 mm	










4,8 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	Special
NOVEL4114F	4,8 V / 1300 mAh	HT, AA cell	NiMH	L 100 x W 15 x H 30	Faston 4,8 mm	
NOVEL413FB	4,8 V / 1300 mAh	HT, AA cell	NiMH	L 30 x W 15 x H 50	Faston 4,8 mm	
NOVEL415RH	4,8 V / 1500 mAh	HT, Sub C cell	NiCd	L 85 x W 22,5 x H 45	Faston 4,8 mm	
NOVEL416FT	4,8 V / 1600 mAh	HT, Sub C cell	NiMH	L 44 x W 22,5 x H 42 + L 44 x W 22,5 x H 42	Faston 4,8 mm	
NOVEL420FB	4,8 V / 2000 mAh	HT, AA cell	NiMH	L 30 x W 15 x H 50	Faston 4,8 mm	
NOVEL421FB	4,8 V / 2100 mAh	HT, A cell	NiMH	L 34 x W 34 x H 50	Faston 4,8 mm	
NOVEL421RH	4,8 V / 2100 mAh	HT, A cell	NiMH	L 100 x W 17 x H 34	Faston 4,8 mm	
NOVEL423FT	4,8 V / 2400 mAh	HT, Sub C cell	NiMH	2 x L 45 x W 22,5 x H 42,5	PL04	
NOVEL423RH	4,8 V / 2300 mAh	HT, Sub C cell	NiMH	L 85 x W 22,5 x H 45	Faston 4,8 mm	
NOVEL423SC	4,8 V / 2400 mAh	HT, Sub C cell	NiMH	L 45 x W 45 x H 42,5	PL04	
NOVEL424SFT	4,8 V / 2400 mAh	HT, Sub C cell	NiMH	Ø 22,5 x L 85 + Ø 22,5 x L 85	Faston 4,8 mm	
NOVEL440FT	4,8 V / 4500 mAh	HT, D cell	NiCd	L 66 x W 33 x H 60 + L 66 x W 33 x H 60	Faston 4,8 mm	
NOVEL440RH	4,8 V / 4500 mAh	HT, D cell	NiCd	L 120 x W 33 x H 66	Faston 4,8 mm	
NOVEL440RH-1	4,8 V / 4000 mAh	HT, Sub C cell	NiMH	L 100 x W 26 x H 52	Faston 4,8 mm	
NOVEL440SFT	4,8 V / 4500 mAh	HT, D cell	NiCd	2 x Ø 33 x L 120	Faston 4,8 mm	
NOVEL460F	4,8 V / 600 mAh	HT, AAA cell	NiMH	L 21 x W 21 x H 44,5	Faston 4,8 mm	
NOVEL480F-1	4,8 V / 800 mAh	HT, AA cell	NiCd	L 30 x W 30 x H 50	Faston 4,8 mm	
NOVEL480FT	4,8 V / 800 mAh	HT, AA cell	NiCd	L 30 x W 15 x H 50 + L 30 x W 15 x H 50	Faston 4,8 mm	
NOVEL480PACK	4,8 V / 800 mAh	HT, AAA cell	NiMH	L 21 x W 21 x H 44,5	Wired	
NOVEL480RH	4,8 V / 800 mAh	HT, AA cell	NiCd	L 100 x W 15 x H 30	Faston 4,8 mm	
NOVEL480SFT	4,8 V / 800 mAh	HT, AA cell	NiCd	Ø 15 x L 100 + Ø 15 x L 100	Faston 4,8 mm	










6 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	Stick
NOVEL6125SF	6 V / 1300 mAh	HT, AA cell	NiMH	Ø 15 x L 250	Faston 4,8 mm	
NOVEL615SF	6 V / 1500 mAh	HT, Sub C cell	NiCd	Ø 22,5 x L 212,5	Faston 4,8 mm	
NOVEL618SF	6 V / 1800 mAh	HT, Sub C cell	NiCd	Ø 22,5 x L 212,5	Faston 4,8 mm	
NOVEL620SF	6 V / 2500 mAh	HT, C cell	NiCd	Ø 26 x L 250	Faston 4,8 mm	
NOVEL621SF	6 V / 2100 mAh	HT, A cell	NiMH	Ø 17 x L 250	Faston 4,8 mm	
NOVEL624SF	6 V / 2400 mAh	HT, Sub C cell	NiMH	Ø 22,5 x L 212,5	Faston 4,8 mm	
NOVEL640SF	6 V / 4500 mAh	HT, D cell	NiCd	Ø 33 x L 300	Faston 4,8 mm	
NOVEL680SF	6 V / 800 mAh	HT, AA cell	NiCd	Ø 15 x L 250	Faston 4,8 mm	








6 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	SBS
NOVEL611F	6 V / 1100 mAh	HT, AA cell	NiMH	L 45x W30 x H 50	Faston 4,8 mm	
NOVEL6125F	6 V / 1300 mAh	HT, AA cell	NiMH	L 75 x W15 x H 50	Faston 4,8 mm	
NOVEL615F	6 V / 1500 mAh	HT, Sub C cell	NiCd	L 112,5 x W 22,5 x H 42,5	Faston 4,8 mm	
NOVEL618F	6 V / 1800 mAh	HT, Sub C cell	NiCd	L 112,5 x W 22,5 x H 42,5	Faston 4,8 mm	
NOVEL620F	6 V / 2500 mAh	HT, C cell	NiCd	L 130 x W 26 x H 50	Faston 4,8 mm	
NOVEL6210F	6 V / 2100 mAh	HT, A cell	NiMH	L 85 x W 17 x H 50	Faston 4,8 mm	
NOVEL624F	6 V / 2400 mAh	HT, Sub C cell	NiMH	L 112,5 x W 22,5 x H 42,5	Faston 4,8 mm	
NOVEL640F	6 V / 4500 mAh	HT, D cell	NiCd	L 165 x W 33 x H 60	Faston 4,8 mm	
NOVEL680F	6 V / 800 mAh	HT, AA cell	NiCd	L 75 x W 15 x H 50	Faston 4,8 mm	












6 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	Special
NOVEL615FT	6 V / 1500 mAh	HT, Sub C cell	NiCd	L 45 x W 22,5 x H 42,5 + L 67,5 x W 22,5 x H 42,5	Faston 4,8 mm	
NOVEL615P	6 V / 1500 mAh	HT, Sub C cell	NiCd	L 127,5 x W 22,5 x H 45	Faston 4,8 mm	
NOVEL615SFT	6 V / 1500 mAh	HT, Sub C cell	NiCd	Ø 22,5 x L 85 + Ø 22,5 x L 127,5	Faston 4,8 mm	
NOVEL618SFT	6 V / 1800 mAh	HT, Sub C cell	NiCd	Ø 22,5 x L 85 + Ø 22,5 x L 127,5	Faston 4,8 mm	
NOVEL620SFT	6 V / 2500 mAh	HT, C cell	NiCd	Ø 26 x L 100 + Ø 26 x L 150	Faston 4,8 mm	
NOVEL640FT	6 V / 4500 mAh	HT, D cell	NiCd	L 66 x W 33 x H 60 + L 99 x W 33 x H 60	Faston 4,8 mm	
NOVEL640SFT	6 V / 4500 mAh	HT, D cell	NiCd	Ø 33 x L 120 + Ø 33 x L 180	Faston 4,8 mm	
NOVEL640SFT221	6 V / 4000 mAh	HT, 4/3 A cell	NiMH	Ø 17 x L 335	Faston 4,8 mm	
NOVEL680P	6 V / 800 mAh	HT, AA cell	NiCd	L 100 x W30 X H30	Faston 4,8 mm	













7,2 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	Stick
NOVEL7125SF	7,2 V / 1300 mAh	HT, AA cell	NiMH	Ø 15 x L 300	Faston 4,8 mm	
NOVEL715SF	7,2 V / 1500 mAh	HT, Sub C cell	NiCd	Ø 22,5 x L 255	Faston 4,8 mm	
NOVEL718SF	7,2 V / 1800 mAh	HT, Sub C cell	NiCd	Ø 22,5 x L 255	Faston 4,8 mm	
NOVEL720SF	7,2 V / 2500 mAh	HT, C cell	NiCd	Ø 26 x L 300	Faston 4,8 mm	
NOVEL724SF	7,2 V / 2400 mAh	HT, Sub C cell	NiMH	Ø 22,5 x L 255	Faston 4,8 mm	
NOVEL740SF	7,2 V / 4500 mAh	HT, D cell	NiCd	Ø 33 x L 360	Faston 4,8 mm	
NOVEL740SFT	7,2 V / 4500 mAh	HT, D cell	NiCd	2 x Ø 33 x L 180	Faston 4,8 mm	

7,2 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	SBS
NOVEL7125F	7,2 V / 1300 mAh	HT, AA cell	NiMH	L 90 x W 15 x H 50	Faston 4,8 mm	
NOVEL713FT	7,2 V / 1300 mAh	HT, AA cell	NiMH	L 45 x W 15 x H 50 + L 45 x W 15 x H 50	Faston 4,8 mm	
NOVEL715F	7,2 V / 1500 mAh	HT, Sub C cell	NiCd	L 135 x W 22,5 x H 42,5	Faston 4,8 mm	
NOVEL718F	7,2 V / 1800 mAh	HT, Sub C cell	NiCd	L 135 x W 22,5 x H 42,5	Faston 4,8 mm	
NOVEL724F	7,2 V / 2400 mAh	HT, Sub C cell	NiMH	L 135 x W 22,5 x H 42,5	PL05	
NOVEL740F	7,2 V / 4500 mAh	HT, D cell	NiCd	L 198 x W 33 x H 60	Faston 4,8 mm	
NOVEL740F-3	7,2 V / 4000 mAh	HT, 18650	NiMH	L 36 x W 18 x H 65	Faston 4,8 mm	
NOVEL740FNiMH	7,2 V / 4000 mAh	HT, 18650	NiMH	L 36 x W 18 x H 65	Faston 4,8 mm	
NOVEL780F-1	7,2 V / 800 mAh	HT, AA cell	NiCd	L 90 x W 15 x H 50	Faston 4,8 mm	
NOVEL740FNiMH	7,2 V / 4000 mAh	HT, 18650	NiMH	L 108 x H 65	Faston 4,8 mm	
NOVEL780F-1	7,2 V / 800 mAh	HT, AA cell	NiCd	L 85 x H 50	Faston 4,8 mm	


7,2 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	Special
NOVEL7115F	7,2 V / 1300 mAh	HT, AA cell	NiMH	L 150 x W 15 x H 30	Faston 4,8 mm	
NOVEL7125F-1	7,2 V / 1300 mAh	HT, AA cell	NiMH	L 45 x W 30 x H 50	Faston 4,8 mm	
NOVEL7125SF-1	7,2 V / 1300 mAh	HT, AA cell	NiMH	L 150 x W 15 x H 30	PL04	
NOVEL715FT	7,2 V / 1500 mAh	HT, Sub C cell	NiCd	2 x L 67,5 x W 22,5 x H 42,5	Faston 4,8 mm	
NOVEL715SFP	7,2 V / 1500 mAh	HT, Sub C cell	NiCd	L 127,5 x W 22,5 x H 45	Faston 4,8 mm	
NOVEL715SFT	7,2 V / 1500 mAh	HT, Sub C cell	NiCd	2 x Ø 22,5 x L 127,5	Faston 4,8 mm	
NOVEL718SFT	7,2 V / 1800 mAh	HT, Sub C cell	NiCd	2 x Ø 22,5 x L 127,5	Faston 4,8 mm	
NOVEL721RH	7,2 V / 2100 mAh	HT, A cell	NiMH	L 150 x W 17 x H 34	PL04	
NOVEL740RH	7,2 V / 4000 mAh	HT, 18670	NiMH	L 201 x W 18 x H 36	Faston 4,8 mm	
NOVEL740RH-1	7,2 V / 4000 mAh	HT, D cell	NiCd	L 180 x W 33 x H 66	Faston 4,8 mm	
NOVEL740SFT-MH	7,2 V / 4000 mAh	HT, 18650	NiMH	Ø 18 x L 195 + Ø 18 x L 195	Faston 4,8 mm	
NOVEL780RH	7,2 V / 800 mAh	HT, AA cell	NiCd	L 150 x W 15 x H 30	Faston 4,8 mm	


7,4 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	Stick
NOVEL726FLI	7,4 V / 2600 mAh	HT, 18650	Li-ion	L 36 x W 18 x H 65	PL12	
NOVEL726FLI-1	7,4 V / 2600 mAh	HT, 18650	Li-ion	L 36 x W 18 x H 65	PL04	



9,6 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	Stick
NOVEL915SF	9,6 V / 1500 mAh	HT, Sub C cell	NiCd	Ø 22,5 x L 340	Faston 4,8 mm	






















10,8 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	SBS
NOVEL1025F	10,8 V / 1300 mAh	HT, AA cell	NiMH	L 135 x W 15 x H 50	PL04	









12 Volt

Article number	Voltage / Amperage	Cell type	CHM	Dimensions (mm)	Connection	SBS
NOVEL1213F	12 V / 1300 mAh	HT, AA cell	NiMH	L 150 x W 15 x H 50	Faston 4,8 mm	
NOVEL1215RH	12 V / 1500 mAh	HT, Sub C cell	NiCd	L 212,5 x W 22,5 x H 45	Faston 4,8 mm	

Connectoren

Article number	Omschrijving	Type
NOVELPL01	Wires with Female faston SOFT CORE Black and red wire +/- 34 cm	
NOVELPL02	Black loop-through wire 20 cm with both sides Female faston	
NOVELPL03	Connector for Famostar Black and red wire +/- 30 cm with Female faston and plug for Famostar	
NOVELPL04	Connector for Blessing / Famostar	
NOVELPL05	Connector for Hertek Black and red wire +/- 30 cm with Female faston and plug for Hertek	
NOVELPL06	Connector for Etap Black and red wire +/- 30 cm with Female faston and plug for Etap	
NOVELPL08	Connector for Ecolight Red wire right. Black and red wire +/- 30 cm with Female faston and plug for Ecolight	
NOVELPL09	Connector for Ecolight Red wire left Wired links. Black and red wire +/- 30 cm with Female faston and plug for Ecolight	
NOVELPL10	Connector for Lightronics Black and red wire +/- 30 cm with Female faston and plug for Lightronics	
NOVELPL11	Connector for Philips Black and red wire +/- 30 cm with Female faston and plug for Philips	
NOVELPL12	Connector for SEC. Black and red wire +/- 30 cm with Female faston and plug	
NOVELPL13	Connector for emergency lighting Female. Black and red wire +/- 30 cm with Female faston and plug	
NOVELPL14	Emergency lighting connector. Black and red wire +/- 30 cm with Female faston and plug	
NOVELPL15	Emergency lighting connector. Black and red wire +/- 30 cm with Female faston and plug	
NOVELPL16	Emergency lighting connector. Black and red wire +/- 30 cm with Female faston and plug	
NOVELPL17	Emergency lighting connector. Black and red wire +/- 30 cm with Female faston and plug	
NOVELPL21	Wires with Female faston HARD CORE Black and red wire +/- 34 cm with Female faston	
NOVELPL22	Connector from Blessing to Etap	
NOVELPL24	Connector for VanLien Serenga	
NOVELPL26	Connector for Blessing + left	
NOVELPL27	Connector for various emergency lighting brands	
NOVELPL28	Connector for Mackwell	

Connectoren

Article number	Omschrijving	Vorm
NOVELPL29	Connector for Famostar Flow with short 10 cm wire	
NOVELPL30	Connector for emergency lighting 20 cm wire	
NOVELPL31	Connector for e.g. Blessing	
NOVELPL34	Connector adapter PL04 to PL24	
NOVELPL35	Connector adapter Famostar to VanLien	
NOVELPL02.1	Black trough wire 9,5 cm with both sides Female faston	
NOVEL-SC-KAP	Fixation cap Sub-C cell	
NOVEL-D-KAP	Fixation connector adapter per 2 pieces	

DISCLAIMER

© 2021 Technical data and dimensions are below reservation of any errors and changes.

All information in this brochure (in whatever form) remains property of Taurac, unless explicitly stated otherwise.

General terms and conditions of delivery and sales of the Metaalunie are registered with the Chamber of Commerce Rotterdam and apply to all offers and deliveries. A copy can be provided upon request or visit www.taurac.com



WWW.TAURAC.COM



info@taurac.com



(+31)(0)88 500 84 40

Edition 2.12